

List of references/articles which was not possible to obtain as full-text.

(updated on 15th Nov., 2010)

We kindly ask collaborators to send us any of these articles -if available at their respective Institutions- as hard copies, .pdf file, scanned version or provide the relevant details/informations (incl. geo-referenced data) as indicated in the data base instructions.

deRodaniche, E. C. & Rodaniche, A. (1950), 'Spotted Fever in Panama; Isolation of the Etiologic Agent from a Fatal Case', *American Journal of Tropical Medicine and Hygiene* **30**(4), 511-517.

Alecrim, I.; Pinto, B.; Avila, T.; Costa, R. & Pessoa, I. (1983), 'Human babesiosis first report of autochthonous case from Tiã^oma - Pernambuco - Brazil', *Rev. patol. Trop* **12**(1), 11-29.

Allsopp, M. T.; Louw, M. & Meyer, E. C. (2005), 'Ehrlichia ruminantium - an emerging human pathogen.', *South African Medical Journal* **95**(8), 541.

Anderson, J. F.; Magnarelli, L. A.; Burgdorfer, W.; Casper, E. A. & Philip, R. N. (1981), 'Importation into the United States from Africa of Rhipicephalus simus on a boutonneuse fever patient', *American Journal of Tropical Medicine and Hygiene* **30**(4), 897-899.

Anstey, M. A.; Dupont, H.; Hahn, C. G.; Mwaikambo, E. D.; McDonald, M. I.; Raoult, D. & Sexton, D. J. (1997), 'Seroepidemiology of Rickettsia typhi, Spotted Fever Group Rickettsiae, and Coxiella burnetti Infection in Pregnant Women from Urban Tanzania', *American Journal of Tropical Medicine and Hygiene* **57**(2), 187-189.

Armstrong, R. H. & Cheresky, A. (1988), 'Spotted fever case report.', *New Zealand Medical Journal* **101**(850), 494.

Arraga-alvarado, C.; Montero-Ojeda, M.; Bernardoni, A.; Anderson, B. E. & Parra, O. (1996), 'Human ehrlichiosis: report of the 1st case in Venezuela', *Investigative clinic* **37**(1), 35-49.

Arraga-Alvaro, C.; Montero-Ojeda, M.; Bernardoni, A.; Anderson, B. E. & Parra, O. (1996), 'Human ehrlichiosis: report of the 1st case in Venezuela', *investigacion clinica* **37**(1), 35-49.

Aubry, P.; Renanbot, J.; Teyssier, J.; Buisson, Y.; Granic, G.; Brunetti, G.; Dano, P. & Bauer, P. (1983), 'Borreliosis caused by ticks in Senegal; apropos of 23 cases', *Dakar Med* **28**(3), 413-420.

Beati, L.; Kelly, P. J.; Matthewman, L. A.; Mason, P. R. & Raoult, D. (1995), 'Prevalence of rickettsia-like organisms and spotted fever group rickettsiae in ticks (Acari: Ixodidae) from Zimbabwe.', *Journal of Medical Entomology* **32**(6), 787-792.

Beati, L.; Meskini, M.; Thiers, B. & Raoult, D. (1997), 'Rickettsia aeschlimannii sp. nov., a new spotted fever group rickettsia associated with Hyalomma marginatum ticks.', *International Journal of Systematic Bacteriology* **47**(2), 548-554.

Benhammou, B.; Balafrej, A. & Mikou, N. (1991), 'Mediterranean boutonneuse fever revealed by severe neurological involvement', *Archives Françaises de Pédiatrie* **48**(9), 635-636.

Brahim, H.; Perrier, J. D.; Postic, D.; Baranton, G. & Jambou, R. (2005), 'Identifying relapsing fever Borrelia, Senegal.', *Emerging Infectious Diseases* **11**(3), 474-475.

Brouqui, P.; Harle, J. R.; Delmont, J.; Frances, C.; Weiller, P. J. & Raoult, D. (1997), 'African tick-bite fever. An imported spotless rickettsiosis.', *Archives of Internal Medicine* **157**(1), 119-124.

Brouqui, P.; LeCam, C.; Kelly, P. J.; Laurens, R.; Tounkara, A.; Sawadogo, S.; Velo, M.; Gondao, L.; Faugere, B. & Delmont, J. (1994), 'Serologic evidence for human ehrlichiosis in Africa.', *European Journal of Epidemiology* **10**(6), 695-698.

Buffoni, S. & Ullio, E. (1994), 'Mediterranean spotted fever: on a case report observed in an African hospital.', *Giornale di Malattie Infettive e Parassitarie* **46**(8), 690-694.

Burt, F. J.; Swanepoel, R.; Shieh, W.; Smith, J. F.; Leman, P.; Greer, P. W.; Coffield, L. M.; Rollin, P. E.; Ksiazek, T. G.; Peters, C. J. & Zaki, S. R. (1997), 'Immunohistochemical and in situ localization of Crimean-Congo hemorrhagic fever (CCHF) virus in human tissues and implications for CCHF pathogenesis.', *Archives of Pathology and Laboratory Medicine* **121**(8), 839-846.

Bush, J. B.; Isaacson, M.; Mohamed, A. S.; Potgieter, F. T. & DeWaal, D. T. (1990), 'Human babesiosis—a preliminary report of 2 suspected cases in South Africa.', *South African Medical Journal* **78**(11), 699.

Campbell, C. C.; Hobbs, J. H.; Marranghello, L.; Vargas, M.; Shepard, C. & Feldman, R. A. (1978), 'An apparent outbreak of rickettsial illness in Costa Rica, 1974.', *Bull Pan Am Health Organ* **12**(2), 104-111.

Chapman, L. E.; Wilson, M. L.; Hall, D. B.; LeGuenno, B.; Dykstra, E. A.; Ba, K. & Fisher-Hoch, S. P. (1991), 'Risk factors for Crimean-Congo hemorrhagic fever in rural northern Senegal.', *Journal of Infectious Diseases* **164**(4), 686-692.

Cohen, G. L.; Blumberg, L. S. & Karstaedt, A. S. (1996), 'Tick bite fever in black South Africans—a rare disease?', *J Infect.* **32**(3), 235-237.

Colebunders, R.; DeSerrano, P.; VanGompel, A.; Wynants, H.; Blot, K.; VanDenEnden, E. & VanDenEnde, J. (1993), 'Imported relapsing fever in European tourists.', *Scandinavian Journal of Infectious Diseases* **25**(4), 533-536.

Conti-Diaz, A.; Rubio, I.; Somma-Moreira, R. E. & Perez-Bormida, G. (1990), 'Lymphatic cutaneous rickettsiosis caused by *Rickettsia conorii* in Uruguay', *Rev Inst Med Trop Sao Paulo* **32**(5), 313-318.

Conti-Diaz, I. A. (2001), 'Rickettsiosis por *Rickettsia conorii* (fiebre botonosa del Mediterráneo o fiebre de Marsella). Estado actual en Uruguay / Rickettsiosis caused by *Rickettsia conorii* (boutonneuse or Mediterranean fever). Current situation in Uruguay', *Rev. med. Urug* **17**(2), 119-124.

DeRodaniche, E. (1953), 'Natural Infection of the Tick, *Amblyomma Cajennense*, with *Rickettsia Rickettsii* in Panama', *American Journal of Tropical Medicine and Hygiene* **2**(4), 696-699.

Dias, E. & Martins, A. V. (1939), 'Spotted fever in Brazil. A summary', *American Journal of Tropical Medicine and Hygiene*(19), 103-108.

Diatta, G.; Trape, J. F.; Legros, F.; Rogier, C. & Duplantier, J. M. (1994), 'A comparative study of three methods of detection of *Borrelia crocidurae* in wild rodents in Senegal.', *Transactions of the Royal Society of Tropical Medicine and Hygiene* **88**(4), 423-424.

Diederer, B. M. & Buiting, A. G. (2003), 'A man with fever and a 'tache noire' after a holiday in South Africa. Rickettsiosis, probably African tick-bite fever', *Ned Tijdschr Geneesk* **147**(38), 1852.

Drancourt, M.; Kelly, P. J.; regnery, R. & Raoult, D. (1992), 'Identification of spotted fever group rickettsiae using polymerase chain reaction and restriction-endonuclease length polymorphism analysis.', *Acta Virologica* **36**(1), 1-6.

Dupont, H.; Cornet, J. & Raoult, D. (1994), 'Identification of Rickettsiae from Ticks Collected in the Central African Republic Using the Polymerase Chain Reaction', *American Journal of Tropical Medicine and Hygiene* **50**(3), 373-380.

England, M. J.; Sonnendecker, E. W.; Margolius, K. A.; Kiepiel, J.; Baker, J. & Koll, P. (1987), 'Tick-bite fever in pregnancy: a case report. Tick-bite fever in pregnancy: a case report.', *South African Medical Journal* **72**(3), 213-214.

Fuentes, L. (1986), 'Ecological Study of Rocky Mountain Spotted Fever in Costa Rica', *American Journal of Tropical Medicine and Hygiene* **35**(1), 192-196.

Fuentes, L.; Calderón, A. & Hun, L. (1985), 'Isolation and Identification of *Rickettsia rickettsii* from the Rabbit Tick (*Haemaphysalis leporispalustris*) in the Atlantic Zone of

- Costa Rica', *American Journal of Tropical Medicine and Hygiene* **34**(3), 564-567.
- GallagaGoiri, M. L. & CorachanCuyÃ¡s, M. (1990), 'Boutonneuse fever in Kruger Park.', *Revista CLÃ¡nica EspaÃ±ola* **187**(5), 256.
- Galvao, M. A. M. (1996), 'Febre maculosa em Minas Gerais: um estudo sobre a distribuiÃ§Ã£o da doenÃ§a no Estado e seu comportamento em Ã¡rea foco peri-urbano. [tesis doctoral]'
- Galvao, M. A. M. (1988), 'Brazilian spotted fever in Minas Gerais and its determinants.'
- Gear, J. H.; Miller, G. B.; Martins, H.; Swaneol, R.; Wolstenholme, B. & Coppin, A. (1983), 'Tick-bite fever in South Africa. The occurrence of severe cases on the Witwatersrand.', *South African Medical Journal* **63**(21), 807-810.
- Gongora-Biachi, R. A.; Zavala-Velazques, J.; Castro-Sansores, C. J. & Gonzales-Martinez, P. (1999), 'First Case of Human Ehrlichiosis in Mexico', *Emerging Infectious Diseases* **5**(3).
- Gonzalez, J. P.; LeGuenno, B.; Guillaud, M. & Wilson, M. L. (1990), 'A fatal case of Crimean-Congo haemorrhagic fever in Mauritania: virological and serological evidence suggesting epidemic transmission.', *Transactions of the Royal Society of Tropical Medicine and Hygiene* **84**(4), 573-576.
- Gray, G. C.; Rodier, G. R.; Matras-Maslin, V. C.; Ismail, H. E.; Botros, B. A.; Soliman, A. K.; Merrel, B. R.; Wang, S. P. & Grayston, J. T. (1995), 'Serologic Evidence of Respiratory and Rickettsial Infections among Somali Refugees', *American Journal of Tropical Medicine and Hygiene* **52**(4), 349-353.
- Grove, D. I. (1988), 'African tick typhus (Mediterranean spotted fever) in Australian travellers.', *Australasian Journal of Dermatology* **29**(3), 141-145.
- Guedes, E.; Leite, R. C.; Prata, M. C.; Pacheco, R. C.; Walker, D. H. & Labruna, M. B. (2005), 'Detection of Rickettsia rickettsii in the tick Amblyomma cajennense in a new Brazilian spotted fever-endemic area in the state of Minas Gerais.', *Mem Inst Oswaldo Cruz* **100**(8), 841-845.
- Hammouda, N. A.; Hegazy, I. H. & El Sawy, E. H. (1995), 'ELISA screening for Lyme disease in children with chronic arthritis.', *Journal of the Egyptian Society of Parasitology* **25**(2), 525-533.
- Happner, D. G.; wongsrichanalai, C.; Walsh, D. S.; McDaniel, P.; Eamsila, C.; Hanson, B. & Paxton, H. (1997), 'Human ehrlichiosis in Thailand.', *Lancet* **13**(350), 785-786.
- Henriksen, A. Z.; Bevanger, L. & Bergh, K. (1998), 'Spotted fever after travel to South Africa', *Tidsskr Nor Laegeforen* **118**(30), 2624-2626.

Hidalgo, M.; SÃ¡nchez, R.; Orejuela, L.; HernÃ¡ndez, J.; Walker, D. H. & Valbuena, G. (2007), 'Prevalence of Antibodies Against Spotted Fever Group Rickettsiae in a Rural Area of Colombia', *American Journal of Tropical Medicine and Hygiene* **77**(2), 378-380.

Hirunkanokpun, S.; Kittayapong, P.; Cornet, J. P. & Gonzalez, J. P. (2003), 'Molecular Evidence for Novel Tick-Associated Spotted Fever Group Rickettsiae from Thailand', *Journal of Medical Entomology* **40**(2), 230-237.

Hoogstraal, H. & Gallagher, M. D. (1982), 'Blisters, pruritus, and fever after bites by the Arabian tick *Ornithodoros (Alectorobius) muesebecki*', *Lancet* **7**(8293), 288-289.

Hovette, P.; Perrier, J. D.; Camara, P.; Spiegel, A.; Ba, K. & Wade, B. (2000), 'Borreliosis-malaria co-infection.', *Presse MÃ©dicale* **29**(21), 1176.

Huttere, J.; Konrad, K. & Tappeiner, G. (1987), 'South African tick bite fever', *Hautarzt* **38**(3), 172-174.

Jayaseelan, E.; Rajendran, S. C.; Shameen, S.; Fishbein, D. & Keystone, J. S. (2007), 'Cutaneous Eruptions in Indian Tick Typhus', *International Journal of Dermatology* **30**(11), 790-794.

Jensenius, M.; Gerlyng, P.; Hasle, G.; Hopen, G.; Vene, S. & Bruu, A. L. (1999), 'Spotted fever imported into Norway in 1997', *Presse Med* **11**(28), 1428-1432.

Jonchere, H.; Pfister, R. & Ridet, J. (1952), 'Exanthematous fever of the tick typhus group at Bobo-Dioulasso, Upper Volta.], *Bulletin & Annales de la Societe de Pathologie Exotique et ses Filiales* **45**(5), 626-632.

Jowi, J. O. & Gathua, S. N. (2005), 'Lyme disease: report of two cases.', *East African Medical Journal* **82**(5), 267-269.

Kager, P. A. & Dondorp, A. M. (2001), 'Fever and vesiculopapular exanthema due to infection with *Rickettsia africae* after a sojourn in South Africa', *Ned Tijdschr Geneesk* **145**(3), 138-141.

Kelly, P. J.; Beati, L.; Matthewman, L. A.; Mason, P. R.; Dasch, G. A. & Raoult, D. (1994), 'A new pathogenic spotted fever group rickettsia from Africa.', *Journal of Tropical Medicine and Hygiene* **97**(3), 129-137.

Kelly, P. J. & Mason, P. R. (1991), 'Tick-bite fever in Zimbabwe. Survey of antibodies to *Rickettsia conorii* in man and dogs, and of rickettsia-like organisms in dog ticks.', *South African Medical Journal* **80**(5), 233-236.

Kelly, P. J. & Mason, P. R. (1990), 'Serological typing of spotted fever group *Rickettsia* isolates from Zimbabwe', *Journal of Clinical Microbiology* **28**(10), 2302-2304.

Kelly, P. J.; Mason, P. R.; Matthewman, L. A. & Raoult, D. (1991), 'Seroepidemiology of spotted fever group rickettsial infections in humans in Zimbabwe.', *Journal of Tropical Medicine and Hygiene* **94**(5), 304-309.

Kelly, P. J.; Mason, P. R.; Rhode, C.; Dziva, F. & Matthewman, L. (1991), 'Transient infections of goats with a novel spotted fever group rickettsia from Zimbabwe.', *Res Vet Sci.* **51**(3), 268-271.

Kemper, C. A.; Spivack, A. P. & Deresinski, S. C. (1992), 'Atypical papulovesicular rash due to infection with Rickettsia conorii', *Clinical Infectious Diseases* **15**(4), 591-594.

Kimura, M.; Fujii, T. & Iwamoto, A. (1998), 'Two cases of spotted fever group rickettsiosis contracted in southern parts of Africa', *Kansenshogaku Zasshi* **72**(12), 1311-1316.

Lange, J. V.; ElDessouky, A.; Manor, E.; Merdan, A. I. & Azad, A. F. (1992), 'Spotted Fever Rickettsiae in Ticks from the Northern Sinai Governate, Egypt', *American Journal of Tropical Medicine and Hygiene* **46**(5), 546-551.

de Lemos, E. R.; Rozental, T. & Villele, C. L. (2002), 'Brazilian spotted fever: description of a fatal clinical case in the State of Rio de Janeiro.', *rev Soc bras Med trop* **35**(5), 523-525.

Lemos, E. R. S. (1996), 'BRAZILIAN SPOTTED FEVER IN AN ENDEMIC AREA IN THE MUNICIPALITY OF PEDREIRA, SAO PAULO, BRAZIL ENDEMIC AREA IN THE MUNICIPALITY OF PEDREIRA, SÃ O PAULO, BRAZIL'.

Lemos, E. R. S.; Melles, H. H. B. & Colombo, S. (1996), 'Primary isolation of spotted fever group rickettsiae from Amblyomma cooperi collected from Hydrochaeris hydrochaeris in Brazil', *Memorias do Instituto Oswaldo Cruz*(91), 273-275.

Lima, V. L. C.; Figueiredo, A. C.; Pignatti, M. G. & Modolo, M. (1995), 'Febre maculosa no MunicÃpio de Pedreira, Estado de SÃo Paul, Brasil. RelaÃo entre ocorrÃncia de casos e parasitismo humano por ixodÃdeos', *Rev Soc Bras Med Trop*(28), 135-137.

Lotz, B. P. & Colin, P. F. (1992), 'South African tick-bite fever complicated by severe encephalopathy.', *South African Medical Journal* **81**(11), 577.

Louw, M.; Allsopp, M. T. & Meyer, E. C. (2005), 'Ehrlichia ruminantium, an emerging human pathogen - a further report.', *South African Medical Journal* **95**(12), 948-950.

Lucchina, L. C.; Wilson, M. E. & Drake, L. A. (1997), 'Dermatology and the recently returned traveler: infectious diseases with dermatologic manifestations', *International journal of dermatology*(36), 167-181.

- Machado, R. Z.; Duarte, J. M.; Dagnone, A. S. & Szabó, M. P. (2006), 'Detection of Ehrlichia chaffeensis in Brazilian marsh deer (Blastocerus dichotomus)', *Veterinary Parasitology* **139**(1-3), 262-266.
- Marschang, A.; Nothdurft, H. D.; Kumlien, S. & VonSonnenburg, F. (1995), 'Imported rickettsioses in German travelers.', *Infection* **23**(2), 94-97.
- Mathai, E.; Lloyd, G.; Cherian, T.; Abraham, O. C. & Cherian, A. M. (2001), 'Serological evidence for the continued presence of human rickettsioses in southern India', *Annals of Tropical Medicine and Parasitology* **95**(4).
- Matthewman, L.; Kelly, P.; Hayter, D.; Downie, S.; Wray, K.; Bryson, N.; Rycroft, A. & Raoult, D. (1997), 'Domestic cats as indicators of the presence of spotted fever and typhus group rickettsiae', *European Journal of Epidemiology* **13**(1), 109-111.
- McDonald, J. C.; MacLean, J. D. & McDade, J. E. (1988), 'Imported rickettsial disease: clinical and epidemiologic features.', *American Journal of Medicine* **85**(6), 799-805.
- McCarron, S.; Clelland, S.; Kennedy, D. & Pithie, A. (1998), 'Visual loss in a returning traveller with tick typhus.', *Scottish Medical Journal* **43**(4), 116-117.
- Medina-Sanchez, A.; Bouyer, D. H.; Alcantara-Rodriguez, V.; Mafra, C.; Zavala-Castro, J.; Whitworth, T.; Popov, V. L.; Fernandez-salas, I. & Walker, D. H. (2006), 'Detection of a Typhus Group Rickettsia in Amblyomma Ticks in the State of Nuevo Leon, Mexico', *Annals of the New York Academy of Sciences* **1063**, 327-332.
- Michael, S. A.; Morsy, T. A. & Montasser, M. F. (1987), 'A case of human babesiosis (preliminary case report in Egypt)', *Journal of the Egyptian Society of Parasitology* **1**(17), 409-410.
- Morril, J. C.; Soliman, A. K.; Imam, I. Z.; Botros, B. A.; Moussa, M. I. & Watts, D. M. (1990), 'Serological evidence of Crimean-Congo haemorrhagic fever viral infection among camels imported into Egypt.', *Journal of Tropical Medicine and Hygiene* **93**(3), 201-204.
- Ndip, L. M.; Ndip, R. N.; Dickmu, V. L.; Fokam, E. B.; Walker, D. H. & McBride, J. W. (2005), 'Ehrlichial infection in Cameroonian canines by Ehrlichia canis and Ehrlichia ewingii', *Veterinary Microbiology* **111**(1-2), 59-66.
- Ndip, L. M.; Ndip, R. N.; Ndivo, V. E.; Awuh, J. A.; Walker, D. H. & McBride, J. W. (2007), 'Ehrlichia Species in Rhipicephalus sanguineus Ticks in Cameroon', *Vector-Borne and Zoonotic Diseases* **7**(2), 221-228.
- Okabayashi, T.; Tsutiya, K.; Muramatsu, Y.; Ueno, H. & Morita, C. (1996), 'Serological survey of spotted fever group rickettsia in wild rats in Thailand in the 1970s.', *Microbiological Immunology* **40**(12), 895-898.

Oteo, J. A.; Portillo, A.; Blanco, J. R.; Ibarra, V. & Santibanez, S. (2004), 'Rickettsia africae infection. Three cases confirmed by PCR', *medicina clinica (barcelona)* **122**(20), 786-788.

Paddock, C. D.; Fernandez, S.; Echenique, G. A.; Sumner, J. W.; Reeves, W. K.; Zaki, S. R. & Remondegui, C. E. (2008), 'Rocky Mountain Spotted Fever in Argentina', *American Journal of Tropical Medicine and Hygiene* **78**(4), 687-692.

Parola, P. & Barre, N. (2004), 'Rickettsia africae, the agent of African tick-bite fever: an emerging pathogen in the West Indies and Reunion Island (Indian Ocean)', *Bulletin de la Societe de Pathologie Exotique* **97**(4), 196.

Parola, P.; Jourdan, J. & Raoult, D. (1998), 'Tick-Borne Infection Caused by Rickettsia africae in the West Indies', *The New England Journal of Medicine* **338**(19), 1391-1392.

Patino Camargo, L.; Alfamodor, J. & Paul, H. A. (1937), 'A spotted fever in Tobia, Colombia', *American Journal of Tropical Medicine and Hygiene*(17), 639-653.

Portillo, A.; Perez-Martinez, L.; Santibanez, S.; Blanco, J. R.; Ibarra, V. & Oteo, J. A. (2007), 'Detection of Rickettsia africae in Rhipicephalus (Boophilus) decoloratus Ticks from the Republic of Botswana, South Africa', *American Journal of Tropical Medicine and Hygiene* **77**(2), 376-377.

Pretorius, A. M.; Venter, T. P.; VanDerRyst, E. & Kelly, P. J. (1999), 'Possible human ehrlichiosis in the Free State.', *South African Medical Journal* **89**(9), 961.

Reiss-Gutfreund, R. J. (1967), 'The Epidemiology of Rickettsioses on the Ethiopian High Plateau', *American Journal of Tropical Medicine and Hygiene* **16**(2), 186-190.

Robertson, R. G. & Wisseman, C. L. (1973), 'TICK-BORNE RICKETTSIAE OF THE SPOTTED FEVER GROUP IN WEST PAKISTAN II. SEROLOGICAL CLASSIFICATION OF ISOLATES FROM WEST PAKISTANAN AND THAILAND: EVIDENCE FOR TWO NEW SPECIES', *American Journal of Epidemiology* **97**(1), 55-64.

Robertson, R. G.; Wisseman, C. L. & Traub, R. (1970), 'TICK-BORNE RICKETTSIAE OF THE SPOTTED FEVER GROUP IN WEST PAKISTAN: I. ISOLATION OF STRAINS FROM TICKS IN DIFFERENT HABITATS', *American Journal of Epidemiology* **92**(6), 382-394.

Rodaniche, E. C. & Rodaniche, A. (1950), 'Spotted fever in Panama; isolation of the etiologic agent from a fatal case', *American Journal of Tropical Medicine and Hygiene* **30**(4), 511-517.

Saito, K.; Ito, T.; Asashima, N.; Ohno, M.; Nagai, R.; Fujita, H.; Koizumi, N.; Takano,

A.; Watanabe, H. & Kawabata, H. (2007), 'Borrelia valaisiana Infection in a Japanese Man Associated with Traveling to Foreign Countries', *American Journal of Tropical Medicine and Hygiene* **77**(6), 1124-1127.

Saito, T. B.; Cunha-Filho, N. A.; Pacheco, R. C.; Ferreira, F.; Pappen, F. G.; Farias, N.; Larsson, C. E. & Labruna, M. B. (2008), 'Canine Infection by Rickettsiae and Ehrlichiae in Southern Brazil', *American Journal of Tropical Medicine and Hygiene* **79**(1), 102-108.

Saito-Ito, A.; Takada, N.; Ishiguro, F.; Fujita, H.; Yano, Y.; Ma, X. & Chen, E. R. (2008), 'Detection of Kobe-type Babesia microti associated with Japanese human babesiosis in field rodents in central Taiwan and southeastern mainland China.', *Parasitology* **135**(6), 691-699.

Saluzzo, J. F.; Aubry, P.; Aubert, H. & Digoutte, J. P. (1985), 'The Congo-Crimea haemorrhagic fever virus disease in Africa. Concerning a case with haemorrhagic syndrome in Mauritania.', *Bulletin de la Société de Pathologie Exotique et de ses Filiales* **78**(2), 164-169.

Saluzzo, J. F.; Aubry, P.; McCormick, J. & Digoutte, J. P. (1985), 'Haemorrhagic fever caused by Crimean Congo Haemorrhagic Fever virus in Mauritania.', *Transactions of the Royal Society of Tropical Medicine and Hygiene* **79**(2), 268.

Saluzzo, J. F.; Camicas, J. L.; Chartier, C.; Martinez, D. & Digoutte, J. P. (1986), 'Crimean-Congo haemorrhagic fever (CCHF) virus in Mauritania.', *Cahiers ORSTOM, Entomologie Médicale et Parasitologie* **24**(2), 129-137.

Saluzzo, J. F.; Digoutte, J. P.; Camicas, J. L. & Chauvancy, G. (1985), 'Crimean-Congo haemorrhagic fever and Rift Valley fever in south-eastern Mauritania.', *Lancet* **1**(8420), 116.

Sangkasuwan, V.; Chatyingmongkol, T.; Sukwit, S.; Eamsila, C.; Chuenchitra, T.; Rodkvamtook, W.; Jiang, J.; Richards, A. L.; Lerthusnee, K. & Jones, J. W. (2007), 'Description of the First Reported Human Case of Spotted Fever Group Rickettsiosis in Urban Bangkok', *American Journal of Tropical Medicine and Hygiene* **77**(5), 891-892.

Sirisanthana, T.; Pinyopornpanit, V.; Sirisanthana, V.; Strickman, D.; Kelly, D. J. & Dasch, G. A. (1994), 'First Cases of Spotted Fever Group Rickettsiosis in Thailand', *American Journal of Tropical Medicine and Hygiene* **50**(6), 682-686.

Spolidorio, M. G.; LaBruna, M. B.; Machado, R. Z.; MoraesFilho, J.; Zago, A. M.; Caliari, K. M.; Donatelli, D. M. & Yoshinari, N. H. (), 'Preliminary study on Tick-Borne Diseases in a new endemic rural area in Brazil.'

Strickman, D.; Tanskul, P.; Eamsila, C. & Kelly, D. J. (1994), 'Prevalence of Antibodies to Rickettsiae in the Human Population of Suburban Bangkok', *American Journal of Tropical Medicine and Hygiene* **51**(2), 149-153.

Suksawat, J.; Xuejie, Y.; Hancock, S. I.; Hegarty, B. C.; Nilkumhang, P. & Breitschwerdt, E. B. (2001), 'Serologic and molecular evidence of coinfection with multiple vector-borne pathogens in dogs from Thailand.', *Journal of Veterinary Internal Medicine* **15**(5), 453-462.

Sulieman, T. A. (2004), 'A study on the epidemiology of ticks and tick-borne diseases in man and cattle in Karthoum state'.

Sulieman, T. A. & Mamoun, I. E. (1997), 'borrelia organism in a goat in Sinnar area.', *The Sudan Journal of Veterinary Science and Animal Husbandry*(36), 195-196.

Suliman, T.; Abdoun, A. & ElTayeb, M. (1998), 'Babesia parasites described from patients bled for malaria', *Saudi medical journal* **19**(2), 179-181.

Swanepoel, R.; Sheperd, A. J. & Leman, P. A. (1987), 'Epidemiologic and clinical features of Crimean-Congo hemorrhagic fever in southern Africa.', *American Journal of Tropical Medicine and Hygiene* **36**(1), 120-132.

Swanepoel, R.; Sheperd, A. J.; Leman, P. A.; Sheperd, S. P. & Miller, G. B. (1985), 'A common-source outbreak of Crimean-Congo haemorrhagic fever on a dairy farm.', *South African Medical Journal* **68**(9), 635-637.

Swanepoel, R.; Struthers, J. K.; Sheperd, A. J.; McGillivray, G. M.; Nel, M. J. & Jupp, P. G. (1983), 'Crimean-Congo hemorrhagic fever in South Africa.', *American Journal of Tropical Medicine and Hygiene* **32**(6), 1407-1415.

de Tami, I. C. & Tami, M. I. M. (2004), 'Morphologic identification of Ehrlichia sp. in the platelets of patients infected with the human immunodeficiency virus in Venezuela', *revista panamericana de salud publica* **16**(5), 345-349.

Tay, S. T.; Ho, T. M.; Rohani, M. Y. & Devi, S. (2000), 'Antibodies to Orientia tsutsugamushi, Rickettsia typhi and spotted fever group rickettsiae among febrile patients in rural areas of Malaysia', *Transactions of the Royal Society of Tropical Medicine and Hygiene* **94**(3), 280-284.

Teglas, M.; Matern, E.; Lein, S.; Foley, P.; Mahan, S. & Foley, J. (2005), 'Ticks and tick-borne disease in Guatemalan cattle and horses', *Veterinary Parasitology* **131**(1-2), 119-127.

Tordini, G.; Giaccherini, R.; Corbisiero, R. & Zanelli, G. (2006), 'Relapsing fever in a traveller from Senegal: determination of Borrelia species using molecular methods.', *Transactions of the Royal Society of Tropical Medicine and Hygiene* **30**.

Vermeil, C.; Menut, J.; Miegerville, M.; Cruziat, J.; Julienne, F.; Morin, O.; Roger, A. P.; Marjolet, M. & Bouillard, C. (1983), 'Babesiosis, pediatric malaria: does confusion exist

in Africa?', *Bulletin de la Societe Pathologie Exotique Filiales* **76**(5), 797-804.

Walker, D. H. & Gear, J. H. (1985), 'Correlation of the distribution of *Rickettsia conorii*, microscopic lesions, and clinical features in South African tick bite fever.', *American Journal of Tropical Medicine and Hygiene* **34**(2), 361-371.

Wesslen, L.; Torell, E. & Vene, S. (1999), 'Three Swedish cases of African tick-bite fever. Can our native *Rickettsia* species cause disease in humans?', *Lakartidningen* **96**(37), 3888-3890.

Williams, W. J.; Radulovic, S.; Dasch, G. A.; Lindstrom, J.; Kelly, D. J.; Oster, C. N. & Walker, D. H. (1994), 'Identification of *Rickettsia conorii* infection by polymerase chain reaction in a soldier returning from Somalia.', *Clinical Infectious Diseases* **19**(1), 93-99.

Wilson, M. L.; Gonzalez, J. P.; LeGuenno, B.; Cornet, J.; Guillaud, M.; Calvo, M. A.; Digoutte, J. P. & Camicas, J. L. (1991), 'Epidemiology of Crimean-Congo hemorrhagic fever in Senegal: temporal and spatial patterns.', *Archives of Virology, Supplementum*(1), 323-340.

Wilson, M. L.; LeGuenno, B.; Guillaud, M.; Desoutter, D.; Gonzalez, J. P. & Camicas, J. L. (1990), 'Distribution of Crimean-Congo hemorrhagic fever viral antibody in Senegal: environmental and vectorial correlates.', *American Journal of Tropical Medicine and Hygiene* **43**(5), 557-566.

Yoshikawa, H.; Kimura, M.; Ogawa, M.; Rolain, J. M. & Raoult, D. (2005), 'Laboratory-confirmed Mediterranean spotted fever in a Japanese traveler to Kenya.', *American Journal of Tropical Medicine and Hygiene* **73**(6), 1086-1089.

Zavala-Velasquez, J.; Yu, X. Y. & Walker, D. H. (1996), 'Unrecognized Spotted Fever Group Rickettsiosis Masquerading as Dengue Fever in Mexico', *American Journal of Tropical Medicine and Hygiene* **55**(2), 157-159.

Zavala-Velazquez, J. E.; Ruiz-Sosa, J. A.; Sanchez-Elias, R. A.; Becerra-Carmona, G. & Walker, D. H. (2000), '*Rickettsia felis* rickettsiosis in Yucatan.', *Lancet (North American Edition)* **356**(9235), 1079-1080.

Zavala-Velazquez, J. E.; Yu, X. J. & Walker, D. H. (1996), 'Unrecognized spotted fever group rickettsiosis masquerading as dengue fever in Mexico', *American Journal of Tropical Medicine and Hygiene* **55**(2), 157-159.

Zessin, K. H. & Baumann, M. P. (1982), 'Report on the livestock disease survey Bahr El Ghazal Province, Technical cooperation Germany/Sudan'.

Zhan, L.; Cao, W.; DeVlas, S.; Xie, S.; Zhang, P.; Wu, X.; Dumler, J. S.; Yang, H.; Richardus, H. & Habbema, J. D. (2008), 'A newly discovered *Anaplasma phagocytophilum* variant in rodents from Southeastern China', *Vector-borne and zoonotic*

diseases **8**(3), 369.